

SPECIFICATION OF T SERIES


APPLICATIONS

The T type ring cores are mainly used for coupling transformers , balancing coils , fixed coils and filter coils.


ORDERING CODE

$\frac{K5B}{(1)} \frac{T}{(2)} \frac{9}{(3)} \times \frac{3}{(4)} \times \frac{5}{(5)}$

- (1) MATERIAL
- (2) PRODUCT CODE
- (3) A DIM.
- (4) B DIM.
- (5) C DIM.



SHAPE



DIMENSIONS & CHARACTERISTICS

UNIT:m/m

NO.	ORDERING CODE	A	B	C
1	T 3*2*1	3.00±0.15	2.00±0.20	1.00±0.15
2	T 3*2*1.2	3.00±0.15	2.00±0.20	1.20±0.15
3	T 3.5*1.25*1.8	3.50±0.15	1.25±0.20	1.80±0.15
4	T 3.5*1.54*1.5	3.50±0.15	1.54±0.20	1.50±0.15
5	T 3.5*2.5*0.8	3.50±0.15	2.50±0.20	0.80±0.15
6	T 3.5*3*0.8	3.50±0.15	3.00±0.20	0.80±0.15
7	T 3.5*3*1.0	3.50±0.15	3.00±0.20	1.00±0.15
8	T 3.5*3*1.2	3.50±0.15	3.00±0.20	1.20±0.15
9	T 3.5*3*1.3	3.50±0.15	3.00±0.20	1.30±0.15
10	T 3.5*3*1.4	3.50±0.15	3.00±0.20	1.40±0.15
11	T 3.5*3*1.5	3.50±0.15	3.00±0.20	1.50±0.15
12	T 3.5*3*1.7	3.50±0.15	3.00±0.20	1.70±0.15
13	T 3.5*3*1.8	3.50±0.15	3.00±0.20	1.80±0.15
14	T 3.5*3.25*1.3	3.50±0.15	3.25±0.20	1.30±0.15
15	T 3.5*3.25*1.4	3.50±0.15	3.25±0.20	1.40±0.15
16	T 3.5*3.25*1.5	3.50±0.15	3.25±0.20	1.50±0.15
17	T 3.94*2.54*2.29	3.94±0.15	2.54±0.20	2.29±0.15
18	T 4*1.5*2	4.00±0.20	1.50±0.20	2.00±0.15
19	T 4*1.7*2.2	4.00±0.20	1.70±0.20	2.20±0.15
20	T 4*2*1.5	4.00±0.20	2.00±0.20	1.50±0.15
21	T 4*2*2	4.00±0.20	2.00±0.20	2.00±0.15
22	T 4*3*1.5	4.00±0.20	3.00±0.20	1.50±0.15
23	T 4*3*2	4.00±0.20	3.00±0.20	2.00±0.15
24	T 4.1*4*1.6	4.10±0.20	4.00±0.30	1.60±0.15
25	T 4.3*2.5*2.8	4.30±0.20	2.50±0.20	2.80±0.15

※Other sizes are available upon request.

※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.



全方位电磁兼容 (EMC) 器件供应商!

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES

NO.	ORDERING CODE	A	B	C
26	T 4.4*1.4*2.8	4.40±0.20	1.40±0.20	2.80±0.15
27	T 4.5*3.2*2.5	4.50±0.20	3.20±0.20	2.50±0.15
28	T 5*3*2.3	5.00±0.20	3.00±0.20	2.30±0.15
29	T 5*4*1.5	5.00±0.20	4.00±0.30	1.50±0.15
30	T 5*4*2	5.00±0.20	4.00±0.30	2.00±0.15
31	T 6*1.5*3	6.00±0.20	1.50±0.20	3.00±0.20
32	T 6*2*3	6.00±0.20	2.00±0.20	3.00±0.20
33	T 6*3*3	6.00±0.20	3.00±0.20	3.00±0.20
34	T 6*3.8*3	6.00±0.20	3.80±0.30	3.00±0.20
35	T 6*4*3	6.00±0.20	4.00±0.30	3.00±0.20
36	T 6*5.5*3	6.00±0.20	5.50±0.30	3.00±0.20
37	T 6.5*6*4.3	6.50±0.20	6.00±0.30	4.30±0.20
38	T 7*4*3.5	7.00±0.20	4.00±0.30	3.50±0.20
39	T 7*6*3.5	7.00±0.20	6.00±0.30	3.50±0.20
40	T 7.3*4.3*3.3	7.30±0.20	4.30±0.30	3.30±0.20
41	T 7.5*4*2.4	7.50±0.20	4.00±0.30	2.40±0.15
42	T 7.6*6.2*5.2	7.60±0.20	6.20±0.30	5.20±0.25
43	T 7.9*7*4	7.90±0.20	7.00±0.30	4.00±0.20
44	T 8*3*4	8.00±0.20	3.00±0.20	4.00±0.20
45	T 8*4*3.1	8.00±0.20	4.00±0.30	3.10±0.20
46	T 8*4*4	8.00±0.20	4.00±0.30	4.00±0.20
47	T 8*5*6	8.00±0.20	5.00±0.30	6.00±0.30
48	T 8*6*4	8.00±0.20	6.00±0.30	4.00±0.20
49	T 8*7*6	8.00±0.20	7.00±0.30	6.00±0.30
50	T 8.5*3*5	8.50±0.20	3.00±0.20	5.00±0.25
51	T 9*3*5	9.00±0.30	3.00±0.20	5.00±0.25
52	T 9*8*5	9.00±0.30	8.00±0.30	5.00±0.25
53	T 9.3*6.35*4.5	9.30±0.30	6.35±0.30	4.50±0.20
54	T 9.4*7.2*6.3	9.40±0.30	7.20±0.30	6.30±0.30
55	T 9.5*3.3*4.8	9.50±0.30	3.30±0.30	4.80±0.30
56	T 9.5*4.57*4.6	9.50±0.30	4.57±0.30	4.60±0.20
57	T 9.5*4.8*5	9.50±0.30	4.80±0.30	5.00±0.25
58	T 9.5*5*5	9.50±0.30	5.00±0.30	5.00±0.25
59	T 10*3*6	10.00±0.30	3.00±0.20	6.00±0.30
60	T 10*4*6	10.00±0.30	4.00±0.30	6.00±0.30
61	T 10*5*5	10.00±0.30	5.00±0.30	5.00±0.25
62	T 10*5*6	10.00±0.30	5.00±0.30	6.00±0.30
63	T 10*5*7	10.00±0.30	5.00±0.30	7.00±0.30
64	T 10*6*3	10.00±0.30	6.00±0.30	3.00±0.20
65	T 10*6.2*6	10.00±0.30	6.20±0.30	6.00±0.30
66	T 10*7*7	10.00±0.30	7.00±0.30	7.00±0.30
67	T 10*7.5*7	10.00±0.30	7.50±0.30	7.00±0.30
68	T 10*8*6	10.00±0.30	8.00±0.30	6.00±0.30
69	T 10.3*10.2*5.8	10.30±0.30	10.20±0.40	5.80±0.25
70	T 11*9*5	11.00±0.30	9.00±0.30	5.00±0.25
71	T 12*4*6	12.00±0.30	4.00±0.30	6.00±0.30
72	T 12*5.5*7	12.00±0.30	5.50±0.30	7.00±0.30
73	T 12*6*6	12.00±0.30	6.00±0.30	6.00±0.30
74	T 12*6*7	12.00±0.30	6.00±0.30	7.00±0.30

※Other sizes are available upon request.

※All the data listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.



全方位电磁兼容 (EMC) 器件供应商! www.compon-tech.com

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES

NO.	ORDERING CODE	A	B	C
75	T 12*8*6	12.00±0.30	8.00±0.30	6.00±0.30
76	T 12.5*6.35*8	12.50±0.30	6.35±0.30	8.00±0.30
77	T 12.5*12*8	12.50±0.30	12.00±0.40	8.00±0.30
78	T 12.7*6.35*7.9	12.70±0.30	6.35±0.30	7.90±0.30
79	T 13*3*7	13.00±0.30	3.00±0.20	7.00±0.30
80	T 13*5.5*7	13.00±0.30	5.50±0.30	7.00±0.30
81	T 13*6*7	13.00±0.30	6.00±0.30	7.00±0.30
82	T 13*7*7	13.00±0.30	7.00±0.30	7.00±0.30
83	T 13*12.7*7.1	13.00±0.30	12.70±0.40	7.10±0.30
84	T 14*5*8	14.00±0.40	5.00±0.30	8.00±0.30
85	T 14*5*9	14.00±0.40	5.00±0.30	9.00±0.30
86	T 14*7*8	14.00±0.40	7.00±0.30	8.00±0.30
87	T 14.2*10.16*6.35	14.20±0.40	10.16±0.40	6.35±0.30
88	T 14.2*12*8	14.20±0.40	12.00±0.40	8.00±0.30
89	T 14.2*13.5*6.35	14.20±0.40	13.50±0.40	6.35±0.30
90	T 14.5*8*10.2	14.50±0.40	8.00±0.30	10.20±0.40
91	T 15*12*10.5	15.00±0.40	12.00±0.40	10.50±0.40
92	T 15.88*14.27*7.87	15.88±0.40	14.27±0.40	7.87±0.30
93	T 16*7*10	16.00±0.40	7.00±0.30	10.00±0.40
94	T 16*8*10	16.00±0.40	8.00±0.30	10.00±0.40
95	T 16*8*12	16.00±0.40	8.00±0.40	12.00±0.40
96	T 16*10*10	16.00±0.40	10.00±0.40	10.00±0.40
97	T 16*12*8	16.00±0.40	12.00±0.40	8.00±0.30
98	T 16*12*9	16.00±0.40	12.00±0.40	9.00±0.30
99	T 16*13*8	16.00±0.40	13.00±0.40	8.00±0.30
100	T 16*15*12	16.00±0.40	15.00±0.40	12.00±0.40
101	T 16.5*7.5*9.2	16.50±0.40	7.50±0.30	9.20±0.30
102	T 16.5*13*8.2	16.50±0.40	13.00±0.40	8.20(+0.50/-0.00)
103	T 16.5*16*8.2	16.50±0.40	16.00±0.40	8.20(+0.50/-0.00)
104	T 17.5*5*9.5	17.50±0.40	5.00±0.30	9.50±0.30
105	T 17.5*6.35*9.5	17.50±0.40	6.35±0.30	9.50±0.30
106	T 17.5*7*9.5	17.50±0.40	7.00±0.30	9.50±0.30
107	T 17.5*8*10.7	17.50±0.40	8.00±0.30	10.70±0.40
108	T 17.5*10*8	17.50±0.40	10.00±0.40	8.00±0.30
109	T 17.5*11*9.5	17.50±0.40	11.00±0.40	9.50±0.30
110	T 17.5*12.7*9.5	17.50±0.40	12.70±0.40	9.50±0.30
111	T 17.5*13.5*9.5	17.50±0.40	13.50±0.40	9.50±0.30
112	T 17.5*15*9.5	17.50±0.40	15.00±0.40	9.50±0.30
113	T 18*6*10	18.00±0.50	6.00±0.30	10.00±0.40
114	T 18*10*10	18.00±0.50	10.00±0.40	10.00±0.40
115	T 18*15*10	18.00±0.50	15.00±0.40	10.00±0.40
116	T 18.67*14.27*10.16	18.67±0.50	14.27±0.40	10.16±0.40
117	T 18.67*17.02*10.16	18.67±0.50	17.02±0.40	10.16±0.40
118	T 19*8*12	19.00±0.50	8.00±0.30	12.00±0.40
119	T 19*10*10	19.00±0.50	10.00±0.40	10.00±0.40
120	T 19*10*12	19.00±0.50	10.00±0.40	12.00±0.40
121	T 20*5*10	20.00±0.60	5.00±0.30	10.00±0.40
122	T 20*8*10	20.00±0.60	8.00±0.30	10.00±0.40
123	T 20*10*10	20.00±0.60	10.00±0.40	10.00±0.40

※Other sizes are available upon request.

※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.







全方位电磁兼容 (EMC) 器件供应商!

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES

NO.	ORDERING CODE	A	B	C
124	T 20*10*12	20.00±0.60	10.00±0.40	12.00±0.40
125	T 20.5*10*10.2	20.50±0.60	10.00±0.40	10.20±0.40
126	T 21.2*6*12.7	21.20±0.60	6.00±0.30	12.70±0.40
127	T 22*6.35*13.5	22.00±0.60	6.35±0.30	13.50±0.40
128	T 22*6.5*14	22.00±0.60	6.50±0.30	14.00±0.40
129	T 22*8*13.5	22.00±0.60	8.00±0.30	13.50±0.40
130	T 22*8*14	22.00±0.60	8.00±0.30	14.00±0.40
131	T 22*10*14	22.00±0.60	10.00±0.40	14.00±0.40
132	T 22*12*14	22.00±0.60	12.00±0.40	14.00±0.40
133	T 22.1*12.7*13.72	22.10±0.60	12.70±0.40	13.72±0.40
134	T 22.5*6.4*13.8	22.50±0.60	6.40±0.30	13.80±0.40
135	T 22.5*12.7*13.8	22.50±0.60	12.70±0.40	13.80±0.40
136	T 23.6*6*15	23.60±0.60	6.00±0.30	15.00±0.50
137	T 23.6*11.4*15	23.60±0.60	11.40±0.40	15.00±0.50
138	T 23.6*14*11.4	23.60±0.60	14.00±0.40	11.40±0.40
139	T 25*8*15	25.00±0.60	8.00±0.30	15.00±0.50
140	T 25*10*15	25.00±0.60	10.00±0.40	15.00±0.50
141	T 25*12*15	25.00±0.60	12.00±0.40	15.00±0.50
142	T 25*15*15	25.00±0.60	15.00±0.40	15.00±0.50
143	T 25.4*6.35*12.7	25.40±0.60	6.35±0.30	12.70±0.40
144	T 25.91*21.3*12.8	25.91±0.60	21.30±0.50	12.80±0.40
145	T 26*12.7*13	26.00±0.60	12.70±0.40	13.00±0.40
146	T 28*7.5*16	28.00±0.60	7.50±0.30	16.00±0.50
147	T 28*13*16	28.00±0.60	13.00±0.40	16.00±0.50
148	T 28*17*16	28.00±0.60	17.00±0.40	16.00±0.50
149	T 28*20*16	28.00±0.60	20.00±0.50	16.00±0.50
150	T 29*7.5*19	29.00±0.60	7.50±0.30	19.00±0.50
151	T 29*7.7*19	29.00±0.60	7.70±0.30	19.00±0.50
152	T 29*13.84*19	29.00±0.60	13.84±0.40	19.00±0.50
153	T 31*7*19	31.00±0.80	7.00±0.30	19.00±0.50
154	T 31*8*19	31.00±0.80	8.00±0.30	19.00±0.50
155	T 31*16*19	31.00±0.80	16.00±0.40	19.00±0.50
156	T 31*22.22*19	31.00±0.80	22.22±0.50	19.00±0.50
157	T 36*7*25	36.00±0.80	7.00±0.30	25.00±0.60
158	T 40.6*15*27.4	40.60±1.00	15.00±0.40	27.40±0.60
159	T 59.4*12.8*34.8	59.40±1.20	12.80±0.50	34.80±0.80



※Other sizes are available upon request.


※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.



全方位电磁兼容 (EMC) 器件供应商! ···\hhd. ##kkk" Wadcb! hYW" Wca

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES



※Other sizes are available upon request.


※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.

ComPon
All-EMC Solution

全方位电磁兼容 (EMC) 器件供应商!

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES



※Other sizes are available upon request.


※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.



全方位电磁兼容 (EMC) 器件供应商!

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES



※Other sizes are available upon request.


※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.



全方位电磁兼容 (EMC) 器件供应商! kai.zhong@compon-tech.com

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES



※Other sizes are available upon request.


※All the data listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.



全方位电磁兼容 (EMC) 器件供应商! 深圳科普伦科技

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES



※Other sizes are available upon request.

※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.




All-EMC Solution

全方位电磁兼容 (EMC) 器件供应商!

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES



※Other sizes are available upon request.


※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.



全方位电磁兼容 (EMC) 器件供应商!

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES



※Other sizes are available upon request.


※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.



全方位电磁兼容 (EMC) 器件供应商!

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES



※Other sizes are available upon request.


※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.



全方位电磁兼容 (EMC) 器件供应商!

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES



※Other sizes are available upon request.





















※All the date listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.



全方位电磁兼容 (EMC) 器件供应商!

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES



※Other sizes are available upon request.


※All the data listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.

Compon
All-EMC Solution

全方位电磁兼容 (EMC) 器件供应商!

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com

SPECIFICATION OF T SERIES



※Other sizes are available upon request.

※All the data listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.



All-EMC Solution

全方位电磁兼容 (EMC) 器件供应商!

深圳市科普伦科技有限公司 电话: 0755-26532285 传真: 0755-26532652 邮箱: kai.zhong@compon-tech.com